

# Linings

## SUPERIOR SATEEN LINING

Dense and luxurious lining (116 Pick) treated to protect from sunlight and available in two finishes.

### SUPERIOR LINING - TEFLON CREASE RESIST FINISH **HL900**

Water resistant

### SUPERIOR LINING - CREASE RESIST FINISH **HL800**

Construction: 72x116 30s/30s

Composition: 100% Cotton Sateen

Weight: 140gm<sup>2</sup>

Width: 137cm

Piece Size: 75-100m

Make Up: Creased & Lapped Half Width on Board

Shades Available: **IVY** Ivory and **CRM** Cream



## COTTON SATEEN LINING

UK finished sateen lining (96 Pick). Treated to protect from sunlight and available in two finishes.

### COTTON SATEEN - CREASE RESIST FINISH **HL709**

### COTTON SATEEN - SCHREINER FINISH **HL708**

Construction: 72x96 30s/30s

Composition: 100% Cotton Sateen

Weight: 125gm<sup>2</sup>

Width: 122cm, 137cm

Piece Size: 75-100m

Make Up: HL709 Full Width on Tube, HL708 Creased & Lapped Half Width on Board or Full Width on Tube

Shades Available: **IVY** Ivory, **CRM** Cream and **WHT** White (HL708 only)



## FLAME RETARDANT SATEEN LINING

Flame retardant cotton sateen linings conform to BS5867 Part 2, suitable for contract use. Crease Resist finish

### F.R. SATEEN LINING WITH CREASE RESIST FINISH - IVORY **HL25**

### F.R. SATEEN LINING WITH CREASE RESIST FINISH - CREAM **HL24**

### F.R. SATEEN LINING - CREAM **HL23**

Construction: 72x96 30s/30s Composition: 100% Cotton Sateen

Weight: 158gm<sup>2</sup>

Width: 137cm

Piece Size: 50m.

Make Up: Creased & Lapped Half Width on Board



## POLYCOTTON

Low residual shrinkage and good crease recovery.

### POLYCOTTON SATEEN LINING - IVORY **HL801**

Composition: 70% Polyester 30% Cotton

Weight: 139gm<sup>2</sup>

Width: 137cm

Piece Size: 75m.

Make Up: Creased & Lapped Half Width on Board

### SUPER SATEEN LINING - IVORY **HL7**

Composition: 70% Polyester 30% Cotton

Weight: 190gm<sup>2</sup>

Width: 137cm

Piece Size: 50m.

Make Up: Creased & Lapped Half Width on Board

### STANDARD POLYCOTTON LINING - IVORY **HL6**

### BUDGET POLYCOTTON LINING - IVORY **HL3**

Composition: 50% Polyester 50% Cotton

Weight: 110gm<sup>2</sup>

Width: 137cm

Piece Size: 100m

Make Up: Full Width on Tube





## SOFT BLACKOUT LINING - 3 PASS

100% Cotton. Finished on both sides  
 Light Control.  
 Noise Suppression  
 Thermal Regulation = Energy Saving suitable for loose linings.

**BLACKOUT LINING 3 PASS - WHITE**  
**BLACKOUT LINING 3 PASS - CREAM**

**HL5**  
**HL4**

Composition: 100% Cotton  
 Weight: 340gm<sup>2</sup>  
 Width: 137cm  
 Piece Size: 50m or Available Cut Length  
 Make Up: Full Width on Tube



## BLACKOUT FLEECE LINING

Ivory 2 Pass Blackout Lining bonded with Sarille Interlining.  
 Regulates Temperature.  
 Blackout.  
 Noise Suppression  
 Thermal Regulation = Energy Saving  
 Ideal lining for Roman blinds.

**BLACKOUT FLEECE LINING - IVORY**

**HL425**

Composition: Blackout Lining: 65% Polyester/35% Rayon  
 Interlining: 100% Polyester  
 Weight: 400gm<sup>2</sup>  
 Width: 137cm  
 Piece Size: 25m or Available Cut Length  
 Make Up: Full Width on Tube



## FLAME RETARDANT BLACKOUT LINING - 2 PASS

Flame Retardant 2 Pass Blackout Lining conforms to BS5867 Part 2, making it suitable for contract use ideal for fixed linings ('grey' on one side).  
 Blackout  
 Noise Suppression  
 Thermal Regulation = Energy Saving

**BLACKOUT LINING DURABLE F.R. 2 PASS - WHITE**

**HL418**

**BLACKOUT LINING DURABLE F.R. 2 PASS - IVORY**

**HL417**

Composition: 52% Polyester/48% Cotton  
 Weight: 250gm<sup>2</sup>  
 Width: 137cm  
 Piece Size: 50m or Available Cut Length  
 Make Up: Full Width on Tube





## THERMAL LINING

For use where improved thermal efficiency is required.

Noise Suppression

Thermal Regulation = Energy Saving

Crease resistant and easycare.

### 1 THERMAL LINING - CREAM

**HL50**

Composition: 52% Polyester 48% Cotton

Weight: 150gm<sup>2</sup>

Width: 137cm

Piece Size: 50m

Make Up: Full Width on Tube



## WADDLED POLYCOTTON LINING

Polyester Wadding bonded to Polycotton Lining. Suitable for throwovers, bedspreads and quilting.

### 2 WADDLED LINING - IVORY

**HL625S137**

Composition: Lining: 52% Polyester 48% Cotton

Wadding: 100% Polyester

Weight: 135gm<sup>2</sup>

Width: 137cm

Piece Size: 25m or Available Cut Length

Make Up: Full Width on Tube



## POLYESTER WADDING

Ideal for pelmets, upholstery and bedspreads.

Flame Retardant 2 Pass Blackout Lining conforms to BS5867

Part 2, making it suitable for contract use

### 3 POLYESTER WADDING - WHITE (80Z)

**H36058**

Composition: 100% Polyester

Weight: 270gm<sup>2</sup> (approx 8oz)

Width: 150cm

Piece Size: 20m

Make Up: Full Width on Tube

### POLYESTER WADDING - WHITE (40Z)

**H36054**

Composition: 100% Polyester

Weight: 135gm<sup>2</sup> (approx 4oz)

Width: 150cm

Piece Size: 50m

Make Up: Full Width on Tube

### POLYESTER WADDING - WHITE (20Z)

**H36052**

Composition: 100% Polyester

Weight: 70gm<sup>2</sup> (approx 2oz)

Width: 150cm

Piece Size: 50m

Make Up: Full Width on Tube



## BUMP INTERLINING

Heavyweight Bump Interlining will enhance the drape of the curtains and create a fuller appearance.

Blackout

Noise Suppression

Thermal Regulation = Energy Saving

### 1a BLEACHED BUMP HL117

### 1b UNBLEACHED BUMP HL116


Composition: 90% Cotton 10% Other Fibre

Weight: 380gm<sup>2</sup>

Width: 137cm

Piece Size: 46-54m

Make Up: Full Width on Tube



## 2 NATURAL STITCHED WEB INTERLINING HL1-50 & HL1-25

Medium - heavyweight interlining, stitched construction for stability. Achieves full appearance.

Noise Suppression

Thermal Regulation = Energy Saving

Composition: 76% Cotton 21% Viscose 3% Polyamide/Polyester

Weight: 285gm<sup>2</sup>

Width: 137cm

Piece Size: HL1-50 (50m), HL1-25 (25m)

Make Up: Full Width on Tube



## 3 NATURAL COTTON TWILL DOMETTE HL315

A medium weight brushed interlining.

Noise Suppression

Thermal Regulation = Energy Saving


Composition: 100% Cotton

Weight: 200gm<sup>2</sup>

Width: 137cm

Piece Size: 50m

Make Up: Full Width on Tube



## 4 SYNTHETIC SARILLE STITCHED WEB HL254

An economical lightweight synthetic interlining that will not shrink.

Noise Suppression

Thermal Regulation = Energy Saving

Composition: 70% Polyamide/Polyester 30% Viscose

Weight: 165gm<sup>2</sup>

Width: 136cm

Piece Size: 50m

Make Up: Full Width on Tube

